

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Administrator Extension Help

Genesys Administrator 8.5.0

Table of Contents

Genesys Administrator Extension ♦♦♦	4
♦♦♦♦	6
$\Diamond \Diamond $	7
$\diamond \diamond \diamond \diamond$	8
$\Diamond \Diamond $	12
$\Diamond \Diamond $	14
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	18
Command Line Console (CLC) ♦♦♦	21
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	37
$\diamond \diamond \diamond \diamond \diamond \diamond$	44
Configuration Manager	50
$\diamond \diamond \diamond \diamond \diamond$	62
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	63
$\Diamond \Diamond $	66
♦♦♦♦	69
♦♦♦	73
♦♦♦	75
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	77
♦♦	87
$\Diamond \Diamond $	88
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	91
$\diamond \diamond \diamond \diamond \diamond \diamond$	100
♦♦♦	105
$\diamond \diamond \diamond \diamond \diamond$	112
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	117
♦♦♦♦	122
♦♦♦ ♦♦♦	126
♦♦♦	130
$\diamond \diamond \diamond$	131
DN	134
DN ♦♦♦♦	139
IVR	142
IVR ♦♦♦	145
♦♦♦♦	148
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	151

♦♦♦	154
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	158
♦♦♦♦♦/e ♦♦♦♦	160
♦♦♦♦♦ ♦♦♦♦ (Configuration Manager)	161
$\diamond \diamond \diamond \diamond \diamond \diamond$	167
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	169
$\diamond \diamond \diamond \diamond \diamond \diamond$	171
♦♦♦	174
$\diamond \diamond \diamond \diamond \diamond \diamond$	179
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	181
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	183
$\diamond \diamond \diamond \diamond \diamond \diamond$	185
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	186
Voice Platform	189
Voice Platform ♦♦♦♦♦♦♦	190
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	192
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	193
$\diamond \diamond \diamond \diamond \diamond \diamond$	196
$\diamond \diamond \diamond$	198
♦♦♦♦	203
$\diamond \diamond \diamond \diamond \diamond$	207
$\diamond \diamond \diamond \diamond \diamond \diamond$	209
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	213
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	216
	219
$\Diamond \Diamond $	235
	236
$\diamond \diamond $	249
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	251
$\Diamond \Diamond $	258
♦♦	260
	261
$\diamond \diamond \diamond \diamond \diamond \diamond$	263
$\diamond \diamond \diamond$	269
$\Diamond \Diamond $	273
	279


Genesys Administrator Extension ♦♦♦


Genesys Administrator Extension ������������������������������������	>♦♦♦♦♦Genesys Administrator Extension ♦ GUI ♦♦ •♦♦♦♦♦♦♦♦♦♦♦
Genesys Administrator Extension ���	
	rs
♦♦♦♦	♦♦♦♦
000000000 000000 0000000	♦♦♦♦♦♦♦♦♦♦ Configuration Manager ♦♦♦ ♦♦♦♦♦♦♦♦♦
\$\$\$\$\$\$	
\$	\$\phi \phi \phi \phi \phi \phi \phi \phi





<	>
	\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\
</td <td>> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</td>	> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \











 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 4. **[OK]** ��������



♦ ♦



⟨?⟩⟨?⟩

- \$\dagged \dagged \da
- - last-login = true
 - last-login-synchronization = true

- ◆◆◆◆◆—Genesys Administrator Extension ◆◆◆◆◆◆◆◆◆
- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$

- \$\dagger delta d
- Genesys Administrator







◊◊



◊◊

- $\bullet \hspace{0.1cm} \Diamond \hspace{0.1cm$
- ◆◆◆◆—◆◆◆ (◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$\dagger\$_-\dagger\$\dagge
- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦

Configuration Manager

◊◊◊◊

$\diamond \diamond \diamond \diamond (\diamond \diamond \diamond \diamond \diamond \diamond)$	♦♦
♦♦	$GAX \Diamond $

$\diamond \diamond \diamond \diamond (\diamond \diamond \diamond \diamond \diamond \diamond)$	♦♦
	\$\$ \$
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	Genesys Administrator Extension ������������������������������������
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	GAX







$\Diamond \Diamond \Diamond$



$\Diamond \Diamond \Diamond \Diamond \Diamond$

$\diamond \diamond \diamond \diamond \diamond (\diamond \diamond \diamond \diamond \diamond \diamond)$	♦♦
\diamond	GAX
	\$\phi\$ \$\phi \phi \phi \phi \phi \phi \phi \phi
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Genesys Administrator Extension $\Diamond \Diamond \Diamond$
$\diamond \diamond \diamond \diamond \diamond$	
$\Diamond \Diamond \Diamond$	$\Diamond \Diamond $
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	$GAX \diamondsuit $

$\Diamond \Diamond \Diamond$

Genesys Administrator



- ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
 Genesys Administrator Extension
 ◆◆◆◆◆◆◆◆◆◆◆◆◆





Section Agents Configuration Routing Parameters Administration


Genesys Administrator Extension ♦♦♦♦♦ ♦♦

- \$\dagger\$\dagger\$\dagger\$\dagger\$
- 🕸 🕸

\$\$\$\$









- 1. Configuration Manager \lozenge [�������] \lozenge ������] \lozenge �������] \lozenge ��������

- 3. [�����������] ��������
- **4.** [��] ◊◊◊◊◊◊◊◊◊◊
- - ♦♦♦♦♦—♦♦♦♦♦♦♦ ga preferences.navigation
 - ♦♦—♦♦♦♦♦♦
 categories



- [OK] ◊◊◊◊◊◊◊◊◊
- [◊◊] ◊◊◊◊◊◊◊◊◊◊
- - ♦♦♦♦—♦♦♦♦♦♦♦ ga_preferences.navigation
 - ♦♦—♦♦♦♦♦♦♦: items

[OK] ◊◊◊◊◊◊◊◊◊



- 1. [��] ���������
- 2. \$\daggerightarrow\daggeright
 - ♦♦♦♦—♦♦♦♦♦♦ ga_preferences.navigation_categories_0
 - ��—������: category
 - \$\infty\cdot \display \displ
 - [OK] ◊◊◊◊◊◊◊◊◊
- 3. [��] ���������
- 4. ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊
 - ♦♦♦♦—♦♦♦♦♦♦ ga_preferences.navigation_categories_0
 - ��—������: name
 - ♦—♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦ ID ♦♦♦♦♦♦ ♦: custom
 - [OK] ◊◊◊◊◊◊◊◊◊
- 5. **[��]** ���������
- - ♦♦♦♦♦—♦♦♦♦♦♦♦ ga_preferences.navigation_categories_0
 - ♦♦—♦♦♦♦♦♦: title

 - [OK] ◊◊◊◊◊◊◊◊◊

⟨?⟩⟨?⟩

- ga_preferences.navigation_categories_0
- ga_preferences.navigation_categories_1
- ga preferences.navigation categories 2

- 1. [��] ���������
- 2. \(\dagger \
 - ♦♦♦♦—♦♦♦♦♦♦♦ ga preferences.navigation items 0
 - ♦♦—♦♦♦♦♦♦♦: category

 - [OK] ◊◊◊◊◊◊◊◊◊
- 3. [��] ���������
- 4. \$\dagger{\phi}\
 - ♦♦♦♦♦—♦♦♦♦♦♦♦ ga_preferences.navigation_items_0
 - ��—������: privilege



- [OK] ◊◊◊◊◊◊◊◊◊
- 5. [��] ���������
- - ♦♦♦♦—♦♦♦♦♦♦ ga_preferences.navigation_items_0
 - ♦♦—♦♦♦♦♦♦♦: title
 - ♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
 Genesys
 - [OK] ◊◊◊◊◊◊◊◊◊
- 7. [��] ���������
- - $\diamondsuit \diamondsuit \Leftrightarrow : ga_preferences.navigation_items_0$
 - ��—������: url
 - ♦—♦♦♦♦♦♦♦♦♦ URL ♦♦♦♦♦♦ ♦: http://www.genesys.com
 - [OK] ◊◊◊◊◊◊◊◊◊

- ga_preferences.navigation_items_0
- ga_preferences.navigation_items_1
- ga_preferences.navigation_items_2



♦ ♦

- Generic Genesys Server (Management Framework ♦♦♦♦ 8.1.0 ♦♦♦♦♦♦)
- Generic Administrator Server (Management Framework ♦♦♦♦ 8.1.1 ♦♦♦♦♦♦)

- ♦♦—♦♦♦♦♦♦♦♦♦
- ♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦

- ♦♦—♦♦♦♦♦♦ [♦♦] ♦ [♦♦] ♦♦♦♦♦♦

- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$



$\Diamond \Diamond \Diamond \Diamond \Diamond$

- - [◊◊◊] ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊



$\Diamond \Diamond \Diamond \Diamond \Diamond$

- - \$\dagger\$ \dagger\$ \dagger
 - \$\dagger\$ \dagger\$ \dagger



Command Line Console (CLC) ♦♦♦

java -jar gaxclc.jar help
java -jar gaxclc.jar ?





- -h:\localhost:\left\rangle \display \dinfty \display \display \display \display \display \display \display \display \d
- <function> ◊◊◊◊ip ◊ spd ◊◊◊◊◊◊◊◊

♦♦ CLC ♦♦♦♦♦♦♦♦♦

java -jar gaxclc.jar -u:default -p:password -h:localhost:8080 spd execute 10054 1 "C:/GAX/input.txt"

SPD

CLC �� SPD �������������

- add
- query
- querybyid
- execute
- delete
- encrypt (♦execute♦♦♦♦♦♦)

add

add

◊◊

$\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> spd add "file path"

• "file path"—XML ♦♦♦♦♦♦♦♦

⟨?⟩

java -jar gaxclc.jar -u:default -p:password spd add "c:\GAX\newSpd.xml"

query

query

⟨?⟩⟨?⟩

- ID ��
- ���
- \$\display\$\display\$
- ♦♦♦♦ DBID

10054 gvp 8.1.5 1 10060 genesysOne 8.1.5 1 10060 eServices 8.1.5 1

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> spd query

⟨?⟩

java -jar gaxclc.jar -u:default -p:password -s -h:132.45.43.45:443 spd query

querybyid

querybyid

♦

- ♦♦♦♦♦♦ ID
- \frac{1}{2} \land \frac{1}{2}

1 Install

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> spd query SPDID

SPDID—◊◊◊◊ SPD ◊ ID◊

⟨?⟩

java -jar gaxclc.jar -u:default -p:password -h:132.45.43.45:8080 spd query 4374

execute

execute

⟨?⟩⟨?⟩

♦♦♦♦♦ SPD ♦♦♦♦♦♦

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> spd execute SPDID profileName|
-profileID:profileID|-profileName:profileName -encrypted "input file"

- SPDID—◊◊◊◊ SPD ◊ ID◊
- profileName|-profileID:profileID|-profileName:profileName—♦♦♦♦ SPD ♦♦♦♦♦♦

♦ ♦

-encrypted—
 -encrypted—
 -encrypted

◊◊◊◊◊◊:

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> spd encrypt "input file path"
"encrypted output file path"

```
      ♦♦♦♦♦♦♦♦
      $\delta \delta \
```

The input file must be in JSONObject format and include SPD parameters for a specific profile. The file must be encoded in UTF-8 format.

string

The input structure for a *string* type is described below:

\$\dagger\$ \dagger\$ \dagger\$ UTF-8 \$\dagger\$ \dagger\$ \dag

```
{
    "Dialog name" : {
        "Input name" : "string"
}
```

Example

SPD Profile

```
cprofile name="Install">
<dialog step="Step1">
        <input name="NAME_PARAM1" title="PERSON NAME" default="birit" type="string"</pre>
           <description>Please enter the person name</description>
        </input>
 </dialog>
 <dialog step="Step2">
        <input name="NAME PARAM2" title="PERSON NAME" default="birit" type="string"</pre>
required="true">
           <description>Please enter the person name</description>
        </input>
 </dialog>
 <execution>
        <script>
                log('string test' );
        </script>
```

```
</execution> </profile>
```

Input File for Install Profile

Boolean

The input structure for a *boolean* type is described below:

```
{
    "Dialog name" : {
        "Input name" : true/false
    }
}
```

Example

SPD Profile

Input File for Install Profile

```
{
    "Step1" : {
        "STATUS" : true
    }
}
```

Integer

The input structure for an *integer* type is described below:

```
{
    "Dialog name" : {
        "Input name" : <integer>
    }
}
```

Example

SPD Profile

Input File for Install Profile

```
{
     "Step1" : {
          "NUMBER" : 132
     }
}
```

Password

The input structure for a password type is described below:

```
{
    "Dialog name" : {
        "Input name" : "password"
    }
}
```



Input files that include sensitive data such as passwords should be encrypted using the SPD encrypt operation.

Example

SPD Profile

Input File for Install Profile

```
{
     "Step1" : {
          "PASSWORD" : "xyz9846gdkjg"
     }
}
```

SelectOne

The input structure for a *selectOne* type with an **<objectselect>** tag is described bellow:



CLC intersects (AND) filters defined in the SPD file and input file for a selectOne input. The filter criteria should be different in an SPD input file and filter names should differ in the same filter definition.

Example

SPD Profile

Input File for Install Profile

SelectMultiple

The input structure for a *selectMultiple* type with **<objectselect>** tag is described below:

Filters defined in an SPD input file are joined in union (OR) and then intersect (AND) with filters defined in an SPD file for a selectMultiple input.

Example

SPD Profile

Input File for Install Profile

The operation returns two applications named SIP_Irm26 and SIP_Irm27.

Selection Tag

The input structure for a *selectOne/selectMultiple/boolean* type with **<selection>** tag is described below:

CLC selects options defined in the SPD input file. Multiple options can be specified only for the selectMultiple input type.

Example

SPD Profile

```
cprofile name="Install">
-dialog step="Application Parameters">
       <input name="DATA MODEL" title="Binary Version (32-bit or 64-bit)" default="64"</pre>
type="selectOne" required="true">
            <description>This parameter defines the 32-bit or the 64-bit version of the
binary to be deployed. </description>
                <selection>
                    <option name="32" value="32"/>
                    <option name="64" value="64"/>
                </selection>
        </input>
 </dialog>
 <execution>
        <script>
                log('test selection support' );
        </script>
 </execution>
```

Input File for Install Profile



• If the input file does not specify a value for a SPD parameter, the value defined in the **default** attribute of the input element will be used.

- If an SPD input element has the **required** attribute set to true, but there is no corresponding input value that is supplied in either the SPD (as a default) or in the input file, then the SPD execution fails.
- If an SPD input element has the **readonly** attribute value set to true, then the value in the **default** attribute value is used for the execution, if defined. If the **readonly** attribute value is set to true, **required** is set to false, and the **default** attribute is not defined, then the following logic is used for input value determination:
 - 1. For the *boolean* input type, the input value is set to false.
 - 2. For the string and password input types, the input value is set to "".
 - 3. For the *integer* input type, the input is not propagated.
- If a dialog cond attribute value evaluates to false, the dialog is skipped by the CLC tool.
 Example:

```
⟨?⟩
```

```
java -jar gaxclc.jar -u:default -p:password -s -h:localhost:8080 spd execute 10054
-profileID:1 "C:/GAX/input.txt"

java -jar gaxclc.jar -u:default -p:password -h:localhost:8080 spd execute 10054
-profileName:"Install profile" "C:/GAX/input.txt"

java -jar gaxclc.jar -u:default -p:password -s -h:localhost:8080 spd execute 10054 1
-encrypted "C:/GAX/encryptedinput.txt"
```

delete

delete

♦♦
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$
java —jar gaxclc.jar -u:user -p:password -s -h: <host>:<port> spd delete SPDID</port></host>
SPDID—♦♦♦♦ SPD ♦ ID♦
♦
java -jar gaxclc.jar -u:default -p:password spd delete 5436
IP
CLC �� ip ��������������
• add
• query
• querybyid
• delete
244
add
add
♦♦
$\diamond \diamond $
♦ ♦
$.zip \diamond \diamond \diamond \diamond \diamond \diamond IP \diamond \diamond \diamond IP \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$

```
\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond
java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> ip add "path to IP zip file"
⟨?⟩
java -jar gaxclc.jar -u:default -p:password ip add "C:\GAX\TESTS\zippedIpUpload\PRODUCTION\
IP_TSrvSIP64_18100079b1_ENU_windows.zip"
query
query
♦
• ID ◊◊
 • ��

    $\display$\display$

    OS

 ②②
\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond
java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> ip query
⟨?⟩
java -jar gaxclc.jar -u:default -p:password -s -h:132.45.43.45:443 ip query
querybyid
```

querybyid

◊◊

- ID ◊◊
- ��
- \$\display\$\display\$
- OS
- \$\display\$
- ���

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> ip query IPID

• IPID—♦♦♦♦ IP ♦ ID♦

⟨?⟩

java -jar gaxclc.jar -u:default -p:password -h:132.45.43.45:8080 ip query 543

delete

delete

◊◊

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

java -jar gaxclc.jar -u:user -p:password -s -h:<host>:<port> ip delete IPID

• IPID—♦♦♦♦ IP ♦ ID♦



java -jar gaxclc.jar -u:default -p:password ip delete 547



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

⟨?⟩⟨?⟩

- ♦♦♦♦♦
 ♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$
- \$\dagger\$
 - ♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
 - \$\dagger\$
 - \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\dagger\$_-\dagger\$_\dagge
 - \$\dagger\$\dagger\$-\dagger\$\dagger
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- \$\dagger\$
- ◆◆◆◆◆◆◆
 ◆◆◆◆◆
 ◆◆◆◆◆
 ◆
- \$\dagger\$

- ♦♦♦♦♦—♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$
- ◆◆◆◆
 ◆◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆<
- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



♦

��: ����������


 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. $[\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit] \diamondsuit \diamondsuit \diamondsuit \diamondsuit (+) \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$
- 2. ♦♦♦♦♦♦♦♦♦♦♦♦♦♦





- e. [��] ���������
- - [������] ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊



 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

$\Diamond \Diamond \Diamond$

♦♦: ♦♦♦♦♦♦♦♦♦

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 2. [��] ���������
- - ♦♦♦♦♦♦♦(OK) ♦♦♦♦♦♦♦♦
 - ♦♦♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

⟨?⟩⟨?⟩

 $\begin{picture}(200) \put(100) \put(100$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$



$\Diamond \Diamond \Diamond$

- **♦♦♦♦♦** ♦♦♦♦♦♦♦♦♦
- ♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ◆◆◆◆ ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
- ♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



- **♦♦♦♦♦ ♦♦♦♦♦♦♦♦**

♦♦
$\diamond \diamond $





 $\Diamond \Diamond \Diamond$

 $\Diamond \Diamond : \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - - ♦—♦♦♦♦♦♦♦♦



- ♦♦♦♦
 ♦♦♦



- ◆◆—◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇
- - \$\dagger\$







 $\Diamond \Diamond \Diamond$

♦♦: ♦♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- \$\dagger\$
 \$\dagger\$

 \$\dagger\$

 \$\dagger\$
 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger

 - ♦—♦♦♦♦♦♦♦♦♦♦
 - ♦—♦♦♦♦♦♦♦♦



- \$\dagger\$

⟨?⟩⟨?⟩

- \$\dagger\$-\dagger\$\dagger
- **♦♦♦♦♦ ♦♦♦♦**—♦♦♦♦♦**♦♦♦**•**♦♦♦♦**•**♦♦♦**
- \$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$
 \$\dagger\$
 \$\dagger\$
 - \$\dagger\$

•	

♦ ♦



Configuration Manager

Configuration Manager ������������������������������������
♦♦
Configuration Manager ���
Configuration Manager] ������������������������������������
Configuration ������ Configuration Database ������������������������������������
Configuration Manager \lozenge
\$
\$\dagger*\dagg
♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
$\diamond \diamond $
$\Diamond \Diamond $
[+] ��������

- \$\dagger\$
- IVR ◊◊◊—◊◊◊ IVR ◊◊◊◊◊◊◊◊
- \$\dagger\$ \dagger\$ \dagger
- \$\display\$\displa
- DN—
 \$\display\$
 \$\displine\$
 \$\display\$
 \$\display\$
 <li

- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$

- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$

$\diamond \diamond \diamond \diamond \diamond$	♦♦	♦♦♦
♦♦♦	 ◆◆◆◆◆◆◆◆◆◆◆◆◆ Configuration Manager ◆◆ ◆◆◆◆◆◆◆◆◆◆◆ Configuration Manager ◆◆ ◆◆◆◆◆◆◆◆ Configuration Manager ◆◆ Configuration Manager ◆◆ ◆◆◆◆◆◆◆ ◆◆◆◆ ◆◆◆◆ ◆◆◆ ◆◆◆ ◆◆ ◆◆ 	♦♦
$\diamondsuit \diamondsuit$	 • \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	$\diamond \diamond \diamond \diamond$
$\diamond \diamond$	 ◆◆◆◆◆◆◆◆◆◆◆◆◆◆ ◆◆◆◆◆ ◆◆◆◆ ◆◆◆◆ ◆◆◆◆ ◆◆◆ ◆◆ ◆◆ ◆◆ ◆ ◆<!--</td--><td>$\diamond \diamond \diamond \diamond$</td>	$\diamond \diamond \diamond \diamond$

$\diamond \diamond \diamond \diamond \diamond$	♦◆	♦♦♦♦
	•	
♦♦	 \$\display\$\displa	♦♦♦♦
	•	

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

 $\Diamond \Diamond \Diamond$





 $\Diamond \Diamond \Diamond$

♦:

- \$\displaystyle \displaystyle \dintal \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \disp





\$\displays \displays \disp



•	$ \begin{picture}(2000000000000000000000000000000000000$
	$ \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦♦: ♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- **4.** ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

 $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$

◊◊:

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. \$\daggerightarrow\daggeright

♦♦♦♦	♦♦
�� (C)	$\Diamond \Diamond $
♦♦♦ (R)	$\Diamond \Diamond $
�� (U)	$\Diamond \Diamond $
�� (D)	$\Diamond \Diamond $
♦♦ (X)	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦ (RP)	\$\$\$\$\$
♦♦♦♦♦ ♦♦♦♦♦♦♦♦ (CP)	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\

- 3. ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

 - ◆◆◆◆◆◆◆◆◆◆
 ◆◆◆◆◆◆
 ◆

 $\Diamond \Diamond \Diamond$

$\Gamma + 1$	\$\$\$\$\$\$
P . T	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~

♦♦:

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. [��] ���������
- - ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
 ◆◆1◆◆◆◆◆◆◆◆

 - \$\dagger\$ \dagger\$ \dagger





 $\Diamond \Diamond \Diamond$

[+] ◊◊◊◊◊◊◊◊◊◊◊

♦♦:♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ��������
- 4. [OK] ���������
- - ♦♦♦♦♦♦♦♦♦
 ♦♦♦♦♦

 $\Diamond \Diamond \Diamond$

��: ��������

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. ♦♦♦♦♦♦♦♦♦♦♦
- 4. [OK] ���������
- 5. �����������������

 - ♦♦♦♦♦♦♦♦♦
 ♦♦♦♦♦

 $\Diamond \Diamond \Diamond$

♦♦: ♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. ������������
- 3. **[��**] ���������
- - ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆

♦ ♦

- $\bullet \quad [\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit] \land [\diamondsuit \diamondsuit] \land (\diamondsuit \diamondsuit) \land (\diamondsuit)$

\$\$\$\$

◊◊◊◊

◊◊◊◊◊ $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$ $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$ Genesys ♦♦ TLS (Transport Layer Security: ♦♦♦♦♦♦♦♦♦♦♦♦♦) ♦♦♦♦♦♦♦♦♦♦♦♦€Genesys ♦ ⟨?⟩⟨?⟩ ◊◊◊ TLS ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ Genesys 8.1 Security Deployment Guide \Diamond



◊◊ [section_name1] option-name1=option_value2 option_nameN=option_valueN [section name2] option-nameN+1=option_valueN+1 . . . ⟨?⟩ [confserv] port=2520 management-port=2521 server=dbserver encryption=false encoding=utf-8 [log] verbose=standard all=stderr [hca] schema=none



- \$\display \display \display



♦♦♦♦ ♦♦♦♦♦♦Configuration Database ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦



- ♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ Genesys 8.1 Security Deployment Guide

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$



- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

◊◊◊◊

- 1. [����] ���������

- 5. \$\displaystyle \displaystyle \dintalpha \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \d

 - \$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$





♦

- \$\dagger\$-\dagger\$\dagger
- ◆◆◆—◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆

\$\$\$\$

- 1. [����] ���������
- - ♦♦♦♦०
 ♦♦♦०
 ♦♦०
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००
 ♦००</l
 - ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦

Skill("Spanish")>5

- 6. \(\daggeraphi \daggerap

 - ♦♦♦♦♦♦♦♦♦
 ♦♦♦♦♦











\$\dagger\


⟨?⟩⟨?⟩



♦



- \$\dagger\$\dagger\$_-\dagger\$\dagge
- \$\dagger\$





◊◊◊◊

- 1. [����] ���������
- - \$\infty\$-\displays\display









- \$\dagger\$
- \$\dagger\$\dagger\$-\dagger\$\dagger

- 6. *****************************
- - [◊◊◊]◊◊◊[◊◊]◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊
 - - ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
 - \$\dagger\$
- 8. [��] ���������
















- \$\dagger\$-\dagger\$\dagger
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

- 1. [����] ���������
- - \$\dagger\$-\dagger\$\dagger

- 5. [��] ���������



- \$\dagger\$-\dagger\$\dagger
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$ \dagger\$ \dagger

- 1. [����] ���������
- 3. [��] ���������



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

\$\dagger* \dagger* \d

- [���� ���] �����] ������

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

[+] �������

Link to video

♦♦: ♦♦♦♦♦♦♦♦♦
$\diamond \diamond \diamond \diamond$
1. [����] ��������
2. ♦♦♦♦♦♦♦♦♦♦
• ♦♦♦♦♦ ♦♦♦ —♦♦♦♦♦
 • ♦ • — ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊ ◊
♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
•

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

[+] ********









$\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 4. [OK] ���������������

 $\Diamond \Diamond : \Diamond OR \Diamond \Diamond \Diamond \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 4. [OK] \$\display \display \di

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ���������

[+] ◊◊◊◊◊◊◊

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - ♦♦♦♦♦♦♦(OK) ♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - ♦♦♦♦♦♦♦(OK) ♦♦♦♦♦♦♦♦
 - \$\dagger\$ \dagger\$ \dagger

[+] ********

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. ♦♦♦♦♦♦♦♦♦♦
 - ♦♦♦♦♦♦♦♦

- ◆◆—◇◇◇◇◇◇◇◇◇◇◇

- 4. [��] ���������

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 1. \Diamond
- 2. ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊
 - \Diamond
 - \Diamond

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- - ♦♦♦♦♦♦♦(OK)
 ♦♦♦♦♦♦♦♦♦
 - \$\dagger\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦♦: ♦♦♦♦♦♦♦♦

◊◊◊◊◊	♦♦
♦♦♦♦ (R)	$\Diamond \Diamond $
♦♦ (C)	
♦♦ (U)	$\Diamond \Diamond $
♦♦ (X)	
♦♦ (D)	$\Diamond \Diamond $
$\Diamond \Diamond $	
♦♦♦♦♦♦ ♦♦♦♦♦♦ (CP)	\$\dagger{\partial}\$\pa

- 7. \$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$
 - $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond[\Diamond\Diamond]$

 $\Diamond \Diamond \Diamond$

[+] *********

♦♦: ♦♦♦♦♦♦♦

- 1. ♦♦♦♦♦♦♦♦♦♦♦♦

- 4. \Diamond

$\Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
♦♦♦♦ (R)	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
♦♦ (C)	$\Diamond \Diamond $
♦♦ (U)	$\Diamond \Diamond $

♦♦♦♦	♦♦
�� (X)	\$
♦♦ (D)	$\Diamond \Diamond $
♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ (RP)	
♦♦♦♦♦♦ ♦♦♦♦♦♦♦ (CP)	

- - ♦♦♦♦♦♦♦♦♦
 ♦♦
 - \Diamond

 $\Diamond \Diamond \Diamond$

[+] **********

♦♦:♦♦♦♦♦♦♦

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 4. [��] ��������
- 5. \$\displaystyleq \displaystyleq \di



- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\\$\\$\\$\\$\\$
- \$\display \display \display

- \$\phi\$/\$\phi\$\phi\$\phi\$\phi\$
 \$\phi\$/\$/\$











- ◆◆—◇◇◇◇◇◇◇◇◇◇◇◇◇◇
- ◆◆◆—◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆

- 1. [����] ���������

- 3. [��] ���������



 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 3. [**OK**] \$\display \display \



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦



- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$

- \$\dagger\$
 \$\dagger\$

 \$\dagger\$

 \$\dagger\$
 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger\$

 \$\dagger

[+] ********

- 1. [����] ���������

• **♦♦♦♦**—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦**◊**•**♦** $\Diamond \Diamond \Diamond \Diamond$ \$\dagger\$ \(? \right) \bigsiz

- ♦♦♦♦—♦♦♦♦



- ���� ���—

 \$\delta \delta \d



- \$\display\$\displa



 $\Diamond \Diamond \Diamond$

- - \$\dagger\$







- - **♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦ ♦**♦♦♦♦
 - **♦♦♦♦♦♦♦**•**♦**•♦♦•**♦**•♦♦

 $\Diamond \Diamond \Diamond \Diamond$

- 7. \$\displaystyleq \displaystyleq \di
 - ♦♦♦ ID—♦♦♦♦♦♦♦
 - ♦♦♦♦—♦♦♦♦♦♦♦
 ID ♦♦♦♦♦♦♦♦♦♦
 - \$\dagger\$

 - \$\dagger\$

 - ♦♦—♦♦♦♦♦♦ (♦♦♦♦♦)♦



Genesys TLS Security ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ Genesys 8.1 Security Deployment Guide♦♦ ♦♦♦♦♦♦♦♦



10. [��] ��������

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

[+] ********

♦♦: ♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. [����] ���� | ����

 - [◊◊◊◊◊]◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊





- - \$\dagger\$
 - \$\dagger\$ \dagger\$ \dagger

 - \$\dagger\$ \dagger\$ \dagger

- ♦♦—♦♦♦♦♦♦♦♦♦♦♦
- 5. **\(\daggarrow \dag**
 - \$\daggerightarrow\daggeright
- 6. **[OK]** ��������



- \$\dagged \dagged \da







- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$\dagger\$_-\dagger\$\dagge
- \$\dagger\$ \dagger\$ \dagger

◊◊◊◊

- 1. [����] ���������
- - \$\dagger\$-\dagger\$\dagger

- 3. [��] ���������

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ����������] ������

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
$\diamond \diamond \diamond$	
$\Diamond\Diamond\Diamond\Diamond\Diamond$	2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
CTI ��� ���	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Management Layer $\diamondsuit \Leftrightarrow Genesys \diamondsuit $
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Genesys �����������������������������������
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Genesys ���� ������������������������������
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Management Layer $\Diamond \Diamond Genesys \Diamond $
$\diamond \diamond $	
Message Server ♦♦♦♦♦♦♦♦♦♦	Message Server ����������������������������������

♦♦	♦♦
\$REACT_NAME	$\Diamond \Diamond $
\$COND_ID	♦♦♦♦♦♦ ID♦
\$COND_NAME	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
\$COND_CTGR	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
\$APP_ID	♦♦♦♦♦♦♦ ID♦
\$APP_NAME	$\Diamond \Diamond $
\$APP_TYPE	$\Diamond \Diamond $
\$MSG_ID	♦♦♦♦♦ ID♦
\$MSG_DESCR	$\Diamond \Diamond \Diamond$
\$\$	♦♦♦♦ (\$)♦

```
⟨?⟩
Subject:
$COND ID detected in $APP NAME
Message:
CPU Overload has been detected by Genesys Solution Management Layer for Hostl.
Alarm Reaction: $REACT NAME
Alarm Condition:
ID: $COND_ID
NAME: $COND NAME
Category: $COND_CTGR
Application:
ID: $APP_ID
Name: $APP NAME
Type: $APP_TYPE
Subject:
CPU overload detected in Solution Control Server 760
CPU Overload has been detected by Genesys Solution Management Layer for Hostl.
Alarm Reaction: cpu_overload_mail
Alarm Condition:
ID: 118
NAME: CPU_overload
Category: Major
Application:
ID: 105
Name: Solution_Control_Server_760
Type: SCS
```





♦♦	
\$\dagger{\partial}\$\pa	

- \$\phi\$_\to\$\phi\$\phi\$\phi\$\phi\$\phi\$
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

[+] ◊◊◊◊◊◊◊

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 1. [����] ���������



 \$\display \display \disple

- ♦♦♦♦०
 ♦♦♦०
 ♦♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०
 ♦०

- ♦♦♦♦♦
 ♦♦♦♦




- 3. [��] ���������



[+] ********

♦♦: ♦♦♦♦♦

- 2. $[\diamondsuit\diamondsuit] \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit (\diamondsuit\diamondsuit\diamondsuit\diamondsuit) \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$



- ����� ��� (MB)—[�������] ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊ MB ◊◊◊◊◊◊◊◊◊

- 6. [OK] ���������

ADDP

♦♦: ADDP ♦♦♦♦♦♦♦♦


- 1. $\Diamond\Diamond\Diamond\Diamond\Diamond$ [$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond]$ $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
- 2. addp ��������������
- 3. $\Diamond\Diamond\Diamond\Diamond\Diamond$ addp \Diamond

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
addp-timeout	♦♦♦♦	ADDP

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	***
addp-trace	local	LCA ������� ADDP ���









 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
<p



- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$\dagger\$_-\dagger\$\dagge
- \$\dagger\$



Prerequisites

Configuration Manager \lozenge [$\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge$] $\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge\lozenge$

- 1. [����] ���������

3. [��] ��������



Prerequisites

Configuration Manager \lozenge [$\lozenge\diamondsuit/\lozenge\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit)$ $\lozenge\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������
- 3. [��] ���������



- \$\dagger\$ \dagger\$ \dagger\$





- \$\dagger\$
- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger
- \$\dagger\$

- \$\dagger\$ \dagger\$ \dagger







♦



- \$\dagger\$-\dagger\$\dagger
- **♦♦♦**—♦♦♦♦♦♦♦♦♦**♦♦♦**♦♦♦♦♦

\$\display\$\display\$



[+] ********



Prerequisites

- 1. [����] ���������



- Solution Control Server
 — ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ Solution Control Server ♦ ♦ ♦ ♦

3.	[���������]	◊◊◊◊[◊◊]	>
	♦♦		



- 4. \$\daggerightarrow\daggeright

 - [OK] ◊◊◊◊◊◊◊◊◊



- 7. \Diamond

 - [OK] ◊◊◊◊◊◊◊◊◊
- 8. [��] ��������

♦	$\diamondsuit \diamondsuit \diamondsuit$	
---	--	--

[+]**�������**�

♦♦: ♦♦♦♦♦
$\diamond \diamond \diamond \diamond$
1. [������] �����1 �����
2. [��] ������ [�����] �����
3. [�����] ������������������������������
$ \bullet [\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit] \ \Diamond \Diamond$
$\bullet [\diamondsuit \diamondsuit \ \diamondsuit \diamondsuit \diamondsuit] \ \Diamond \Diamond$
$\bullet \Diamond \Diamond \Diamond \Diamond - [\Diamond \Diamond \Diamond \Diamond \Diamond] \Diamond [\Diamond \Diamond] \Diamond [\Diamond \Diamond] \ \Diamond $
$\bullet \Diamond \Diamond \Diamond \Diamond \Diamond - [\Diamond \Diamond \Diamond \Diamond \Diamond] \Diamond [\Diamond \Diamond $
• \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
 • ��—Genesys ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

- \$\dagger\$ \$\d

- \$\dagger\$ \dagger\$ \dagger
- \$\dagger\$


- \$\dagger\$-\dagger\$\dagger
- - \$\daggerightarrow\daggeright
 - - **♦♦♦♦♦♦♦♦**—♦♦♦♦♦♦♦♦♦♦ • **♦♦**♦♦♦♦♦♦♦♦♦
- 6. **[OK**] ♦♦♦♦♦♦♦♦





 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$





 $\Diamond \Diamond \Diamond \Diamond \Diamond$

1. [����] ���������

 $\Diamond \Diamond : \Diamond \Diamond$

- \$\dagger\$

- 3. [��] ���������









 \$\dagger\$
 <t







- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������
- - \$\dagger\$-\dagger\$\dagger

 - ♦♦♦♦
 □ST)
 ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- ◆◆◆◆◆◆
 ◆◆◆◆◆
 ◆◆◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 - - ♦♦♦—DST ♦♦♦♦♦
 - ♦♦♦—DST ♦♦♦♦♦
 - ♦♦♦♦—DST ♦♦♦♦♦♦
 - ♦♦♦♦—DST ♦♦♦♦♦♦
 - **♦♦♦♦♦ (GMT)**—DST ♦♦♦♦♦/◊/♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
 - \$\$\left\(\phi \righta \righta
 - ���—DST ������� DST ������ OST ������ [�����] �����

- ♦♦♦—DST ♦♦♦♦♦♦
- ♦♦♦—DST ♦♦♦♦♦♦♦

- ([◊◊◊◊◊◊◊◊] ◊ [◊◊] ◊◊◊◊◊◊◊◊) ◊◊◊—DST ◊◊◊◊◊◊◊◊
- ([♦♦♦♦♦♦♦] ♦ [♦♦] ♦♦♦♦♦♦♦♦) ♦♦♦—DST ♦♦♦♦♦♦
- ([◊◊◊◊◊◊◊◊) ◊ [◊◊] ◊◊◊◊◊◊◊◊◊◊◊
- ([◊◊◊◊◊◊◊) ◊ [◊◊] ◊◊◊◊◊◊◊◊) ◊◊◊◊—DST ◊◊◊◊◊◊◊◊◊
- ([♦♦♦♦♦♦♦] ♦ [♦♦] ♦♦♦♦♦♦♦♦♦ **—**DST ♦♦♦♦♦♦♦
- ♦♦♦♦—DST ♦♦♦♦♦♦
- ♦♦♦♦—DST ♦♦♦♦♦♦

- 3. [��] ���������



♦♦♦	♦♦♦ ♦♦♦
ACT	$\Diamond \Diamond $
AET	$\Diamond \Diamond $
AGT	$\Diamond \Diamond $
AtIST	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
ART	$(\diamond \diamond \diamond \diamond) \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
AST	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
BET	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
BST	$\Diamond \Diamond $

♦♦♦	♦♦♦ ♦♦♦
CAT	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
CNT	$\Diamond \Diamond $
CST	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
СПТ	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
EAT	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
ECT	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
EET	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
EST	$\diamond \diamond \diamond \diamond \diamond \diamond$
GMT	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
HST	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$
IET	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
IST	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
JST	$\diamond \diamond \diamond \diamond \diamond \diamond$
KST	$\diamond \diamond \diamond \diamond \diamond \diamond$
MET	♦♦♦♦
MIT	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
MST	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$
NET	♦♦♦♦
NST	$\diamond \diamond \diamond$
PLT	$\diamond \diamond \diamond$
PNT	$\diamond \diamond \diamond$
PRT	$\Diamond \Diamond $
PST	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$
SST	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
VST	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$



- DN
- DN ◊◊◊◊
- IVR
- IVR ◊◊◊

- \$\dagger\$\dagger\$\dagger\$\dagger\$









 $\diamondsuit \diamondsuit$

- \$\dagger\$-\dagger\$\dagger
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

◊◊◊◊

- 3. [����] ���������

	⟨¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬
•	\$\phi \phi \phi \phi \phi \phi \phi \phi
•	
•	
•	
•	
E [A	♦] ♦♦♦♦♦♦♦♦

DN

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$





♦ ♦

- ♦♦—DN ♦♦♦♦♦♦♦♦
- ♦♦♦—DN ♦♦♦♦♦♦♦♦♦♦♦♦
- DN ◊◊◊◊◊◊◊◊◊◊◊◊◊

♦♦: DN ♦♦♦♦♦♦♦♦

- 2. DN ����� DN ������������
- 3. [����] ���������



- $\bullet \hspace{0.1cm} \diamond \hspace{0.1cm$
- DN ◊◊◊◊—◊◊ DN ◊◊◊◊◊◊ DN ◊◊◊◊◊◊



- 5. [��] ���������

DN ◊◊◊

DN ♦♦♦	♦♦
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
ACD ♦♦♦♦	$\Diamond \Diamond $
ACD ���	
$\Diamond \Diamond $	$\Diamond \Diamond $
♦♦♦♦	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
♦♦♦♦♦♦♦♦ DN	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
♦♦	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
FAX	FAX ���������
♦♦♦♦	$\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit ACD \ \diamondsuit $
$\diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
♦♦♦	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	

♦♦
\$\display \display \din \display \din \display \din \display \display \display \display \display \display \display
$1 \diamondsuit \diamondsuit$
$1 \diamondsuit \diamondsuit$
$\Diamond \Diamond $
ACD ������������������������������������
$\diamond \diamond $
Voice over IP (VoIP) ♦♦♦♦♦
VoIP ♦♦♦♦♦♦
$\diamondsuit \diamondsuit (IVR \ \diamondsuit \diamondsuit) \ \diamondsuit $
$\Diamond \Diamond $



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦ ♦ ♦ ♦ ♦ ♦ ♦ **DN** ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦





- ♦♦—DN ♦♦♦♦♦♦♦♦♦♦♦
- ���—DN ��������������
- DN ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

- 1. [����] ���������

- - $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond[\Diamond\Diamond\Diamond\Diamond]$ $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
- [♦♦] ♦♦♦♦♦♦♦♦♦

DN ���� ���

DN ♦♦♦♦ ♦♦♦	♦♦♦♦♦ DN ♦♦♦
ACD ♦♦♦	$ACD \Diamond $
$\Diamond \Diamond $	$\Diamond \Diamond \Diamond$

$\diamond \diamond \diamond \diamond \diamond \diamond$	$\diamond \diamond \diamond \diamond \diamond \diamond$

IVR

IVR (Interactive Voice Responses: \display \din \display ♦♦♦ IVR ♦ Configuration Database ♦♦♦♦♦♦♦♦♦ IVR ♦♦♦ IVR ♦♦♦♦♦♦♦♦♦♦♦♦♦♦ ◊◊ $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$ ⟨?⟩⟨?⟩ ♦

⟨?⟩⟨?⟩

- ♦♦—IVR ♦♦♦♦♦♦♦♦
- \$\displaystyle \displaystyle \dintforum \displaystyle \displaystyle \displaystyle \disp
- IVR ◊◊◊◊◊◊◊◊◊◊◊◊◊◊

♦♦: IVR ♦♦♦♦♦♦♦♦

- 1. [����] ���������
- - ♦♦—IVR ♦♦♦♦♦♦♦
 - ◆◆◆—◆◆ IVR ◆◆◆◆◆ ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
 - ◆◆◆◆◆
 IVR
 ◆◆◆◆
 ◆◆
 ◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 - IVR Server—♦♦ IVR ♦♦♦♦♦♦♦♦♦♦ IVR Interface Server ♦♦♦♦♦♦♦♦♦♦♦♦
- 4. [��] ���������



IVR ���



♦ ♦

- ♦♦♦♦♦♦♦♦
 IVR
 ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



⟨?⟩⟨?⟩

- ♦♦—IVR ♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—IVR ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- IVR ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

♦♦: IVR ♦♦♦ ♦♦♦♦♦♦♦♦

Prerequisites

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [IVR] ����IVR ������ IVR ����������
- 2. IVR ������� IVR ��� ������������
- 3. [����] ���������
- - ♦♦—IVR ♦♦♦♦♦♦♦♦♦♦

 - ♦♦ DN—♦♦ IVR ♦♦♦♦♦♦♦♦♦♦♦ DN♦
 - ◆◆◆◆◆◆
 IVR ◆◆◆◆◆◆◆◆◆◆◆◆◆◆

5. [��] ���������











- \$\dagger\$-\dagger\$\dagger
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

♦♦: ♦♦♦♦ ♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������

- 4. $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$ DN \Diamond
- 5. **[��]** ���������



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$








- \$\dagger\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������
- - \$\frac{1}{2}\line \frac{1}{2}\line \frac{1}{2}\line

- - ♦♦♦♦♦♦♦♦♦
 ♦♦♦♦♦
- 7. [��] ���������





- \$\dagger\$_-\dagger\$_0\d
- \$\dagger\$
- \$\dagger\$



 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������

- 4. \$\daggerightarrow\daggeright
 - ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



- ♦♦♦♦
 ♦♦♦
- \$\dagger\$
- DNIS ◊◊◊—◊◊◊◊◊◊◊◊◊ DNIS ◊◊◊◊◊◊◊◊◊◊◊◊◊
- ◆◆◆◆◆
 ◆◆◆◆
 ◆◆◆
 ◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 <
- [OK] ◊◊◊◊◊◊◊◊◊

- 7. \$\displays



- DN ◊◊Φ—◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊
- ♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- DNIS ◊◊♦—◊◊◊◊◊◊◊◊◊ DNIS ◊◊◊◊◊◊◊◊◊◊◊◊
- ♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- [OK] ◊◊◊◊◊◊◊◊◊
- 8. [��] ���������





♦

- $\bullet \quad [\diamondsuit) \land (\lozenge \lozenge \lozenge) \land (\lozenge \lozenge) (\lozenge \lozenge) \land (\lozenge \lozenge) (\lozenge) (\lozenge \lozenge)$



- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- \$\dagger\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������
- 3. [��] ���������



- \$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\display\$\display\$
- \$\display\$\display\$
- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\display\$\display\$\display\$

♦♦♦♦♦ ♦♦♦♦ (Configuration Manager)

- $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$ " $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$ " $\Diamond\Diamond$ " $\Diamond\Diamond$ " $\Diamond\Diamond$ " \Diamond " \Diamond " \Diamond " \Diamond
- ♦♦♦♦♦ ♦♦♦♦ ID (ARID)♦



[+] ********

\\daggerightarrow: \daggerightarrow \d

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. ◊◊◊◊◊◊◊◊◊◊◊◊◊

 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
 - \$\dagger\$-\dagger\$\dagger
- 3. [��] ���������

 $\Diamond \Diamond \Diamond$

♦

- - \$\display\$\displa

- ♦♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. ♦♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- 3. [��] ���������

[+] ********

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [����� ���������] ������

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. \Diamond
- 2. [��] ��������

♦ ♦

- \$\dagger\$

- \$\dagger\$

 \$\display \cdot \display \din \display \din \display \display \display \display \display \display \display

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [���������] �������
- 4. [OK] ���������

- 2. [��] ���������
- 4. [��] ���������



♦ ♦

- Universal Routing 8.1 Business Process User's Guide
- Universal Routing 8.1 Reference Manual
- ◆eServices Interaction Properties Reference Manual ◆◆ Business Attributes ◆◆◆ ◆



♦



- \$\phi_{\infty}\$-\phi_{\infty}\$\
- \$\dagger\$\dagger\$_-\dagger\$\dagge

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - \$\dagger\$-\dagger\$\dagger
- 3. [��] ���������





♦ ♦

⟨?⟩⟨?⟩

\$\dagger\$-\dagger\$\dagger

- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

◊◊◊◊

- 3. [����] ���������
- - \$\dagger\$-\dagger\$\dagger
- 5. **[��]** ���������









- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������
- - \$\dagger\$-\dagger\$\dagger
- 3. [��] ���������

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ���������

- \$\dagger\$-\dagger\$\dagger

- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$-\dagger\$\dagger



- 4. [�����] ����[��] �������
- 5. <a>


 - [OK] ◊◊◊◊◊◊◊◊◊

⟨?⟩⟨?⟩

♦♦♦♦♦♦♦♦♦ Universal Routing 8.0 Routing Application Configuration Guide♦♦♦♦♦♦♦♦♦♦

6. [��] ���������








- ♦♦—♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$\dagger\$_-\dagger\$\dagge
- \$\dagger\$







- ♦♦♦—1 ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

4. [��] ��������

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 1. [����] ���������
- - ◆◆◆──◇◇◇◇◇◇◇◇◇◇◇◇◇
 ◆◆◆◆◆○
 ◆◆◆◆◆○

 - ♦♦♦♦♦ (♦)—♦♦♦♦♦♦♦♦
- - \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
 \$\dagger\$\dag
 - ♦♦♦०—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



4. [��] ���������



 $\begin{tabular}{l} (\lozenge \lozenge) @ (\emptyset) @ (\lozenge) @ (\emptyset) @ (\lozenge) @ (\lozenge) @ (\emptyset) @ ($

- ♦♦♦ 1 —♦♦♦♦♦♦♦♦♦
- ♦♦♦ 2 —♦♦♦♦♦♦♦

- $\Diamond\Diamond\Diamond\Diamond$ 1 $-\Diamond$









- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 1. [����] ���������

- 4. [��] ���������



♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦







- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- \$\dagger\$ \dagger\$ \dagger

- 1. [����] ���������
- - **\dagger \dagger \da**
- 3. **[��**] ���������



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$





- ◆◆—◇◇◇◇◇◇◇◇◇◇◇◇
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- 1. [����] ���������
- 3. [��] ���������



\$\dagger\$\dagger\$\dagger\$\dagger\$



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$





- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

\$\$\$\$

- 1. [����] ���������
- - [◊◊] ◊◊◊◊◊◊◊◊◊◊
 - \$\dagger\$

 - \$\dagger\$ \dagger\$ \dagger

- 4. [��] ���������



♦♦♦	♦\$
$\diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond$	$\diamond \diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond$	$\diamond \diamond $
$\diamond \diamond \diamond \diamond \diamond$	$\diamond \diamond $
$\diamond \diamond \diamond$	
$\diamond \diamond $	
$\diamond \diamond \diamond$	
♦♦	$\diamond \diamond $

Voice Platform

Voice Platform ◊◊◊◊◊◊◊◊

Voice Platform ♦♦♦♦♦♦



- ◆◆—Voice Platform ◆◆◆◆◆◆◆◆◆◆◆◆◆
- ◆◆◆—Voice Platform ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆

- Voice Platform ���������������

♦♦: Voice Platform ♦♦♦♦♦♦♦♦♦♦♦♦♦

- 1. [����] ���������
- - ◆◆◆—GVP ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆Voice Platform ◆◆◆◆◆◆◆◆◆◆
 - ♦♦—Voice Platform ♦♦♦♦♦♦♦♦♦♦♦♦
- 3. [��] ���������



- \$\display\$\display\$\display\$
- \$\display\$\display\$
- \$\display\$\display\$
- \$\dagger\$\dagger\$\dagger\$\dagger\$





♦



- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger



- 1. [����] ���������
- - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦

 - ���—�����

 MA 00:00:8
 - ◆◆◆◆—◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
 6:00:00 PM ◆◆◆



- 6. [��] ���������









- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$

- \$\dagger\$

- 1. [����] ���������
- - \$\dagger\$-\dagger\$\dagger

- 5. [��] ���������



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

♦ ♦

♦♦


- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger



$\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. [����] ���������
- - \$\dagger\$-\dagger\$\dagger

 - \$\dagger\$







- (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)



⟨ ⟩ □	\$ \$\$	\$\psi \phi \phi \forall	>	>\partial \q	\$\\$\\$\	\$ \$\$	· ② ②·	\$ \$\$	\\(\partial\)		\$\\$\dagger{2}	> \$	\? \?	♦	\$\\$\\ ?	\ \$\\$	· � �	\$ \$	\\disp\disp\disp\disp\disp\disp\disp\dis	·\$\$	♦♦	
Ger	esys	Adm	ninis	trator	Exte	ensio	n �‹	\$\\$\\$	·\$\$	>	♦	\$\\$\!	\ \$\\$	·\$\\$\	\$ \$	>	\ \$\\$	· �� �	>\partial \tag{2}	>���	\$\$	\\$
◊◊	♦	>\$\\$\	\$\\$\\$	\\(\frac{1}{2}\)	\\(\partial\)	\$ \$\$	♦	?	\$ \$	>0	\	· � �	\$\partial \tag{\partial} \pa	\$\\$\!	» "⟨\$	\$\psi\$	♦	\$\\$\\$	" ⟨\$\\$\	ŷ "⟨ŷ	>\$\\$\	\$\\$\\$
⟨ ⟩ □	\$ \$\$	· \$\ \$\ \forall \q	> \$<	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	⟩ "◊	\$\\$\\$	⟨ ⟩ ¹¹ ⟨	\$ \$\$	\$ \$	> 🕸	\$\\$\	>	\ \$\\$	· ② ② ·	\$\\$\	\	\? \?	·\$\$	><> </td <td>><>\cdot\cdot\cdot\cdot\cdot\cdot\cdot\cdot</td> <td>\$\$\$</td> <td>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</td>	><>\cdot\cdot\cdot\cdot\cdot\cdot\cdot\cdot	\$ \$\$	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
◊◊	\$ \$\$	>\$\\$\	ŷ ◊ >	\$\\$\\$\	\$\\$\\$	\$ \$\$	\?	\$ \$	>\bar{0}\dol\dol\dol\dol\dol\dol\dol\dol\dol\dol	♦	OCS	\$ \$	·\$\$	♦	>	· 🕸 🤄	\ \$\\$	♦	\$\\$\\$\	\$\\$\!	>\bar{\gamma}\dots	♦
\$ \$		\$\\$\\$	♦	\$\\$\\$\	\$\\$\\$	\$ \$\$	\%	\$\psi\$	\$ \$\$	· � �	\$ \$	♦		\$ \$	>	\%	\$\psi\$	♦				

$\Diamond \Diamond$	
	>

	♦\$
♦♦♦ GVP	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\phi \phi \phi \phi \phi \phi \phi \phi
♦♦♦♦♦♦♦ GVP	♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
$\diamond \diamond \diamond$	\$\dagger{\partial}\$\pa
$\diamond \diamond \diamond \diamond \diamond$	\$\dagger*\tau\dagg
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger*\tag{\tag{\tag{\tag{\tag{\tag{\tag{
♦♦♦♦♦♦ GVP	



$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	♦♦
	♦♦
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\phi \phi \phi \phi \phi \phi \phi \phi
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	Interaction Server ����������������������������������











 $\diamondsuit \diamondsuit$

- \$\phi\$_-\langle \langle \
- \$\dagger\$

- 1. [����] ���������
- - ♦♦—♦♦♦♦♦♦♦♦♦
 - \$\dagger\$-\dagger\$\dagger

 - ♦♦♦♦♦
 ♦♦♦


- 3. [��] ���������



\$\$\$\$	♦♦
$\diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger{\partial}\$\pa
ANI	ANI (Automatic Number Identification : �������) ���������������������������
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	Genesys �����������������������������������
$\diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger*\dagg
$\diamond \diamond \diamond \diamond$	\$\displaystyle \displaystyle \dinto \displaystyle \displaystyle \displaystyle \display
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond$	
$\diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger{\partial}\$\pa
♦♦♦♦♦ ♦♦♦♦♦ ID	
♦♦♦♦:	\$\dagger*\dagg
$\diamond \diamond \diamond \diamond$	

♦♦♦♦♦♦	♦♦
	$\diamond \diamond \diamond$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger*\dagg
LATA	\$\dagger{\partial}\$\pa
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	
NPA	
NPA-NXX	\$\dagger*\dagg
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\dagger*\dagg
$\diamond \diamond \diamond \diamond$	
♦♦♦♦ ID	$\diamondsuit \diamondsuit $
$\diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond $	
$\diamond \diamond \diamond \diamond$	\$\dagger*\dagg
♦♦♦ ID	\$\display \display \dinfty \display \display \display \display \display \display \display \display \display \displo
$\diamond \diamond \diamond \diamond \diamond \diamond$	
♦♦♦♦:	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
$\Diamond \Diamond $	$\Diamond \Diamond $











- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger



- - ♦♦—♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦
- 3. [��] ���������



♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦•Qutbound Contact Deployment Guide $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$ ♦♦♦♦♦♦Outbound Contact Deployment Guide♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦







- \$\dagger\$_-\dagger\$_0\d
- \$\dagger\$

- 1. [����] ���������
- - ♦♦—♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦

- ♦♦♦♦♦♦♦♦♦
 ♦♦♦♦♦
 ♦♦♦♦
- 5. [��] ��������





$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
agent_id	varchar(32)	\$\displaystyle \displaystyle \dintforum \displaystyle \displaystyle \displaystyle \dis
app_id	integer	$ \diamondsuit \ (\diamondsuit \diamondsuit) \diamondsuit $
attempt	integer	$\Diamond \Diamond $
call_result	integer	♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
call_time	integer	♦♦♦♦♦♦♦♦♦♦♦♦ (♦♦♦♦ ♦) ♦♦♦♦♦♦♦ (UTC ♦♦)♦
campaign_id	integer	
chain_id	integer	\$\dagger*\dagg
chain_n	integer	$\Diamond \Diamond $
contact_info	varchar(128)	\$\\displaystyle \displaystyle \dintforum \displaystyle \displaystyle \displaystyle \di
contact_info_type	integer	
daily_from	integer	
daily_till	integer	\$\\displaystyle \displaystyle \dintartartartartartartartartartartartartart

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
dial_sched_time	integer	
email_subject	varchar(255)	$\diamondsuit \ (\diamondsuit \diamondsuit) \diamondsuit$
email_template_id	integer	♦ (♦♦♦♦♦♦♦♦♦♦♦)♦
group_id	integer	$\diamondsuit \ (\diamondsuit \diamondsuit) \diamondsuit$
media_ref	integer	♦ (♦♦♦♦♦♦♦♦♦♦♦)♦
record_id	integer	$\Diamond \Diamond $
record_status	integer	♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ Outbound Contact 8.1 Reference Manual♦♦♦Defined Constants♦♦♦♦♦♦♦Record Types♦♦♦♦♦♦♦♦♦♦♦♦♦
record_type	integer	♦♦♦♦♦♦♦♦♦♦♦ Outbound Contact 8.1 Reference Manual♦♦♦Defined Constants♦ ♦♦♦♦♦♦Record Types♦♦♦♦ ♦♦♦♦♦♦♦
switch_id	integer	\$\dagger*\dagg
treatments	varchar(255)	♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
tz_dbid	integer	\$\dagger*\dagg









- ◆◆—◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇
- ◆◆◆—◆◆◆◆
 ◆◆◆◆
 ◆◆◆◆
 ◆◆◆
 ◆◆
 ◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆</li

- 1. [����] ���������
- - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

 - - 18 ◊◊—DB2 ◊◊◊ Informix ◊◊◊◊◊◊◊
 - 128 ◊◊—Microsoft SQL ◊◊◊◊◊◊
 - 30 ◊◊—Oracle ◊◊◊ Sybase ◊◊◊◊◊◊

3. [��] ◊◊◊◊◊◊◊◊◊◊



	♦♦
ANI	ANI (Automatic Number Identification : $\diamondsuit \diamondsuit $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
$\diamond \diamond $	\$\display \display \din \display \din \display \din \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy
$\diamond \diamond \diamond$	$\diamond \diamond $
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	$\Diamond \Diamond $
LATA	
$\diamond \diamond \diamond \diamond \diamond \diamond$	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$
NPA	$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
NPA-NXX	\$\dagger*\dagg
$\diamond \diamond \diamond \diamond$	\$\displaystyle \displaystyle \dinto \displaystyle \displaystyle \displaystyle \display



 \$\display \display \din \display \din \display \din \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy







- \$\dagger\$-\dagger\$\dagger
- \$\dagger\$\dagger\$_-\dagger\$\dagge

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 1. [����] ����������
- - ♦♦—(♦♦) ♦♦♦♦♦♦♦♦♦♦

 - ♦♦♦♦—(♦♦) ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- ♦♦ (♦:♦♦:♦)—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

- 3. [��] ���������



- ♦♦♦♦♦♦♦♦♦

- \$\dagger\$





? > ? >

- \$\dagger\$-\dagger\$\dagger



- ②
- \$\display\$
- ②

[+] ◊◊◊◊◊◊◊◊◊◊◊

��: �������

Prerequisites

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ������� [��] ������



- \$\dagger\$ \dagger\$ \dagger

- \$\displaystyle \displaystyle \dintal \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \displaystyle \disp

- Solution Control Server ♦ Message Server ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
- Genesys Administrator Extension ♦ Solution Control Server ♦♦♦♦♦♦♦♦♦♦♦♦



- ◆◆—◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆



$\diamond \diamond \diamond$	♦♦
	\$
	• ◊◊◊◊◊◊◊◊◊◊◊
	Configuration Database ♦♦♦♦♦♦♦♦♦♦♦♦
♦♦♦	• \$\$\$\$\$\$
	•
	\$
♦♦♦	• \$\$\$\$\$\$
* * * *	• \$\$\$\$\$
	• ◊◊◊◊◊◊◊◊◊◊◊

♦♦♦	♦♦
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	\$\dagger{\partial}\$\pa
$\diamond \diamond \diamond \diamond \diamond$	\$\phi \phi \phi \phi \phi \phi \phi \phi
♦♦♦	\$\dagger\$
$\diamond \diamond \diamond \diamond \diamond$	\$\display \display \din \display \din \display \din \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy \dinploy
$\diamond \diamond \diamond$	\$\dagger\$
$\diamond \diamond \diamond \diamond \diamond$	\$\dagger*\tau\dagg
\diamond	Management Layer
	♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦

 $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$

 $\Diamond \Diamond$



 $\Diamond \Diamond : \Diamond \Diamond$

Prerequisites

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 2. [��] ������ [��] ������

- ◆◆◆◆◆◆◆
 Configuration Database
 ◆◆◆◆◆◆◆◆◆◆
- \$\dagger\$ \dagger\$ \dagger

◊◊

◊◊

[+] ◊◊◊◊◊◊◊◊◊◊◊



Prerequisites



 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ������� [��] ������

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- \$\dagger\$ \dagger\$ \dagger

\\daggerightarrow: \daggerightarrow \d

Prerequisites

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ������ [����] �����

 $\Diamond \Diamond \Diamond$

- \$\dagger\$

♦ ♦

- Configuration Server
- Database Access Point
- · Solution Control Server

Prerequisites

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. $[\diamondsuit\diamondsuit] \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit (\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit\diamondsuit) \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$





- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

♦♦♦	♦♦
♦♦♦	Solution Control Server (SCS) $\Diamond \Diamond \Diamond$
	SCS ������������ LCA ������ ������������������������������
$\diamond \diamond \diamond$	 LCA \$\display \display \din \display \display \display \display \display \display \display \display \display \displa
	LCA
	♦♦♦♦♦♦♦♦♦♦♦♦♦Framework Solution Control Interface ♦♦

♦♦♦	♦♦
	♦♦♦♦♦♦Management Layer Troubleshooter♦♦♦♦♦♦♦♦ ♦♦
$\diamond \diamond \diamond \diamond$	SCS ������������ LCA ������ ������������������������������
$\diamond \diamond \diamond \diamond$	SCS
♦♦	 ♦♦♦ 2 ♦♦♦♦♦♦♦♦♦♦♦♦♦ •♦♦♦ SCS ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ •SCS ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ •Genesys Administrator Extension ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦

	$[\diamondsuit \diamondsuit \diamondsuit] \diamondsuit \diamondsuit \diamondsuit$	$> \diamond \diamond$
♦♦		

- \$\display\$

◊◊◊

- ◆◆◆◆◆◆ (%)

 \$\display\$\display\$\display\$\display\$\display\$\display\$\display\$\display\$\display\$(%)

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- ②②
- **PID** (♦♦♦♦ ID)
- CPU ◊◊◊ (%)
- ◆◆◆◆◆◆ (MB)

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
♦
<p

- ◆◆─Windows ◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇
- ◆◆◆─[◇◇◇◇] ◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇
- ♦♦—♦♦♦♦♦♦♦♦♦♦
- Win32 ����—
 \$\phi\$\$\phinfty\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$\$\phi\$

◊◊◊

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦



[+] ◊◊◊◊◊◊◊◊◊◊◊◊

♦♦♦	♦\$
$\diamond \diamond \diamond \diamond \diamond$	\$\phi \phi \phi \phi \phi \phi \phi \phi
$\diamondsuit \diamondsuit \diamondsuit$	\$\phi \phi \phi \phi \phi \phi \phi \phi
$\diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond$	
♦♦	Management Layer ������������������������������������





Prerequisites

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ������� [��] ������



 $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$



♦ ♦

 $\Diamond \Diamond : \Diamond \Diamond$

Prerequisites

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 2. [��] ������� [��] ������

Genesys Administrator ����������������� Solution Control Server (SCS) �����

♦ ♦

 $\langle \hat{y} \langle \hat{y} \langle \hat{y} \rangle \langle \hat{y} \rangle \langle \hat{y} \rangle$

♦ ♦


Prerequisites


 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$



$\Diamond \Diamond \Diamond$						
	\$\$\$] \$\$\$\$\$	>\dagger\	\$\$\$\$\$	\$\$\$\$\$	$\Diamond \Diamond $	$\diamond \Diamond \Diamond$
\$\$\$\$	\$\\dagge\dag		"���" �	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
\$\$\$\$			$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	·◊◊◊ " ◊◊ ◊	> "	
$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$	$\Diamond \Diamond $		» <a>⋄			











♦ ♦



- ♦♦—IP ♦♦♦♦
- ♦♦♦♦♦—IP ♦♦♦♦♦♦♦♦♦
- **◊◊◊◊◊◊◊◊◊◊ ◊◊◊◊** |P ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

- ♦♦—IP ♦♦♦♦
- \$\\$\\$\\$\\$\\$\\$



- ♦♦—IP ♦♦♦ (♦♦♦♦♦)♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦♦—IP ♦♦♦♦♦♦♦♦♦
- ◆◆◆◆ ID—◆◆◆◆◆◆◆◆◆◆◆◆◆◆

- ◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆



- ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆◆◆◆
- ◆◆◆◆◆◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆
- ◆◆◆◆◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆◆◆◆◆
- ◆◆◆◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆◆◆◆
- ♦♦♦

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$









- 3. [��] ���������



<?>) 3. [��] ��������� 4. ♦♦♦♦ ♦♦♦♦♦ Genesys Administrator Extension ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦ CD ♦♦♦♦♦♦♦♦♦♦ UNC ♦♦♦♦ $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$ 2. \$\displaystyle 0 \displaystyle 0 \displayst $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$ 5. [��] ���������

- 2. ♦♦♦♦ ♦♦♦♦♦♦♦♦ Genesys Administrator ♦♦♦♦♦♦♦♦♦♦♦♦
- 3. [��] ����������������
- 5. [��] ���������

♦♦♦♦♦♦♦♦ IP ♦♦ UNC ♦♦♦♦

- 2. \$\dagger \dagger \d
- 3. [��] ���������
- 5. [��] ���������

⟨?⟩⟨?⟩

[+] �������

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

♦ ♦

[+] �������

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$





- IP ◊◊◊◊◊◊◊◊◊◊◊◊SPD ◊◊◊◊◊◊◊◊◊◊◊◊◊



$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- $\Diamond\Diamond\Diamond$ IP $\Diamond)$

$\Diamond \Diamond \Diamond$

- · options
- annex
- · connections
- ports
- timeout
- autorestart
- · commandlinearguments
- commandline
- state
- shutdowntimeout
- attempts
- redundancytype
- isprimary
- startuptimeout





[+] ********

\$\phi \phi: \phi \phi \phi \phi \phi \phi \phi \phi	
$\diamondsuit\diamondsuit\diamondsuit\diamondsuit$	
1. [�������] �����] ����� IP ������	
2. IP \$\dagger do d \dagger do	♦ ♦♦
3. [�����������] �����] ����� [��] �����	
4. \$\daggerightarrow\daggerigh	•♦] ◊◊◊◊
5. \lozenge	
6. [♦♦] ♦♦♦♦♦♦♦♦	
7. \$\daggerightarrow\daggerigh	>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
8. [��] �������	
9. $\Diamond \Diamond \Diamond$	♦ ♦♦
 [♦♦] ♦♦♦♦♦♦♦ IP ♦♦♦♦♦♦♦♦♦ 	
 [��] ��������������� 	
10. \$\display \display \displa	***
♦♦	
\$\phi \phi \phi \phi \phi \phi \phi \phi	

[+] �������

·	♦:	⟨?⟩⟨	?> </th <th>><><</th> <th>?><</th> <th>?> <</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>><</th> <th>><</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>?><</th> <th>?></th>	><><	?> <	?> <	?><	?> <	?><	><	><	?><	?><	?><	?><	?><	? ><	?> <	?>
\sim	\sim	~ '	\sim		~ '	~ '	\sim	\sim $^{\circ}$	_ \	/ \	/ \	/ '	~ .	~ '	~ `	~	\sim	\sim	\sim

$\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. IP \(\phi \quad \qua
- 4. \$\dagger \dagger \d
- - �������—IP ������ ����� ������� ���������

 - IP �������������—����

 - ♦—♦♦ IP ♦♦♦♦♦♦♦♦♦♦♦
- 6. [��] ���������



- [♦♦] ♦♦♦♦♦♦♦
 IP ♦♦♦♦♦♦♦♦♦♦♦
- [◊◊]◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

♦ ♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. IP \$\dagger do d \dagger do



- - ♦—♦♦ IP ♦♦♦♦♦♦♦♦♦♦♦♦
- (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
 (♦♦)
- - [♦♦] ♦♦♦♦♦♦♦
 IP ♦♦♦♦♦♦♦♦♦





- ♦♦—IP ♦♦♦♦
- ◆◆◆◆◆
 IP ◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆
- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$
- \$\dagger\$-\dagger\$\dagger
- ����—IP ◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊◊

⟨?⟩	·	(?)	⟨?⟩	⟨?⟩	⟨?⟩			⟨?⟩	⟨?⟩	⟨?⟩	⟨?⟩	?>	⟨?⟩	⟨?⟩



♦	>\frac{1}{2}	♦ ♦ ♦	♦	﴾	⊘ [⊘	♦ ♦	> ♦ < > • • •	♦ ♦	> ◊ <	>\@	♦ ♦	> > > >	◊ ∢	> >◊	♦	३ ♦	\\$ \$\\$	\&\	\	\\$ <	(♦ < ♦♦	♦ ♦	>♦ •	\$ <	>)]	♦ ﴿	>< ? ><	· � <	> [<	◊	\$ \$	\$	>
	>< ><><									 																								



♦ ♦

♦

- ♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦
- ♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- ◆◆ ◇◇◇◇◇◇◇◇◇◇◇◇◇◇◇
 (◇◇◇◇◇)
 (◇◇◇◇◇)



◊◊					
	> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	����Gene	sys Administr	ator Extension ��	****

$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

- ♦♦♦ IP ♦ IP ♦♦♦♦♦♦♦♦♦♦♦♦♦



- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger

- \$\dagger\$

[+] ◊◊◊◊◊◊◊◊

♦♦:	⟨?⟩⟨?⟩	?	>	?>	· <	?	\?\?\

Prerequisites



[+] ********

♦♦: ♦♦♦♦♦♦♦♦♦♦♦

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - ��

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit$

♦ ♦



◊<	\(\dagger) \dagger \dagge
◊◊	•♦♦
1.	
2.	$ [\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit] \ $

[+] ********

 $\diamondsuit \diamondsuit : \diamondsuit \diamondsuit$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. [\$\display\d





- \$\dagger\$-\dagger\$\dagger

- ♦♦♦♦♦
 ♦♦♦♦
- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦
- \$\dagger\$
- ◆◆◆◆
 ◆◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆<
- \$\dagger\$
- ◆◆◆◆
 ◆◆◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆
 ◆<
- ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦




$\Diamond \Diamond $	$\Diamond \Diamond \Diamond$	◊◊◊]◊◊◊	[�����]	$\Diamond \Diamond $	$\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$
$\Diamond \Diamond \Diamond$					♦




 $\begin{array}{c} [\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit) \\ \diamondsuit \diamondsuit \diamondsuit \diamondsuit & \\ \end{array} \\ \begin{array}{c} (\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit) \\ \end{array} \\ \begin{array}{c} (\diamondsuit \diamondsuit \diamondsuit \diamondsuit) \\ \end{array} \\ \begin{array}{c} (\diamondsuit \diamondsuit) \\ \end{array} \\ \begin{array}{c} (\diamondsuit \diamondsuit) \\ \end{array} \\ \begin{array}{c} () \\ \end{array} \\ \begin{array}{c$



[��] ♦♦♦♦♦♦♦Genesvs Administrator Extension (GAX) ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ \$\dagger\$\dagger\$_-\dagger\$\dagger\$\dagger\$\dagger\$ \$\dagger\$\dagger\$\dagger\$-\dagger\$\dagger GAX ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ Genesys Administrator Extension Deployment Guide Guide ����������� $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$



 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$











$\Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
♦♦♦	
$\diamond \diamond \diamond$	
♦♦♦	$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\phi \phi \phi \phi \phi \phi \phi \phi
DN ���	\$\display \display \din \display \din \display \din \display \display \display \display \display \display \display

♦♦♦♦	♦♦
	\$\dagger{\partial}\$\pa
	
	• \$\$\$\$\$\$\$ (OK] \$\$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	♦♦
$\diamond \diamond \diamond \diamond \diamond$	
	•
	 \$\display\$\displa
	
$\diamond \diamond$	
♦♦	\$\dagger{\phi}\dag
♦	
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	\$\displaystyle \displaystyle \displa



♦♦♦	♦♦
$\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$	♦♦♦♦♦ ♦♦♦♦ ARID♦

♦♦♦	♦♦
$\diamond \diamond \diamond$	$\diamond \diamond \diamond \diamond \diamond \diamond$
	\$\ldot \ldot
****	• DN
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	• ����
	• ♦♦♦♦
	• \$\$\$\$
	• ���
	Stat Server
	• \$\$\$\$\$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
♦♦	yyyy-mm-dd $\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond\Diamond$
♦♦	$\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit 0 (\diamondsuit \diamondsuit) \diamondsuit \diamondsuit$
$\diamond \diamond \diamond \diamond \diamond \diamond \diamond$	
$\diamond \diamond \diamond$	$\diamond \diamond $
♦♦♦	$\Diamond \Diamond $
♦♦	hh:mm ���������

1	1	1	1	1	1	⟨?⟩	1	1	1	1	1
/</td <td><!--/</td--><td><!--/</td--><td><!--/</td--><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!-- --></td><td><!--</td--></td></td></td></td></td></td>	/</td <td><!--/</td--><td><!--/</td--><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!-- --></td><td><!--</td--></td></td></td></td></td>	/</td <td><!--/</td--><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!-- --></td><td><!--</td--></td></td></td></td>	/</td <td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!-- --></td><td><!--</td--></td></td></td>	/</td <td><!-- --></td> <td><!-- --></td> <td><!--/</td--><td><!-- --></td><td><!-- --></td><td><!-- --></td><td><!--</td--></td></td>			/</td <td><!-- --></td> <td><!-- --></td> <td><!-- --></td> <td><!--</td--></td>				</td

$\Diamond \Diamond $	$\Diamond \Diamond $	②

��:			

$\Diamond \Diamond \Diamond \Diamond \Diamond$

- 4. [�����] ���� [��] �����

- e. [��] �����������

- e. [��] ���������
- 6. [+] **\dagger**
 - $\Diamond[\Diamond\Diamond]]$



- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$

[+] ********

♦♦: ♦♦♦♦♦♦♦♦

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 2. $[\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit]$
- 3. ♦♦♦♦♦♦♦♦♦♦♦♦♦♦

♦♦: ♦♦♦♦♦♦♦♦

♦♦♦
 ♦♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 •♦
 <li

��: ���������

- 1. $[\diamondsuit]$



- ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦









- \$\dagger\$
- \$\dagger\$\dagger\$\dagger\$\dagger\$\dagger\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond \Diamond$

[+] ********

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

♦ ♦

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 4. [��] ���������
- (♦♦)
 (♦♦)
- 7. [���] ���������







$\Diamond \Diamond \Diamond \Diamond \Diamond$	♦♦
♦♦	\$
♦♦	\$\dagger{\partial}\$\pa
	\$\dagger{\partial}\$\pa
♦♦♦♦♦	\$\displaystyle="text-align: center;" \$\displaystyle="te
$\diamond \diamond \diamond \diamond$	$ \begin{array}{c} (\diamond \diamond \diamond \diamond \diamond \diamond) \diamond \diamond$





- \$\dagger\$
- \$\dagger\$
- \$\dagger\$ \dagger\$ \dagger
- \$\dagger\$ \dagger\$ \dagger







[+] ********

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 3. 0

[+] **\$\$\$\$\$**\$\$\$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 3. [\$\display\d

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [�����] ���� [��] �������
- 4. **[��]** ���������

•	\$: \$
◊◊	>◆◆
� �	
1.	**********************************
2.	$ \begin{array}{c} [\diamond \diamond \diamond \diamond \diamond \diamond \diamond) \\ \diamond \diamond \diamond \diamond \diamond \diamond \diamond \\ \diamond \diamond \diamond \diamond$
3.	

 ♦ ♦ ♦ ♦ ♦ 1. ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦	��: ��<	\\ \phi \phi
2. [�����] ������ �����������������������	\$\\$\\$\	♦
	1. �<	
2 [0.0] 0.0000000	2. [�	*************************************
5. [��] �������	3. [�	◇] ♦♦♦♦♦♦♦♦

\$\dagger*\dagg

♦♦: ♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦
$\diamond \diamond \diamond \diamond$
1. [����������������������]
2. [������������������������������������
3. [�����������������]
a. $[\diamondsuit] = \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$
b. $[\diamondsuit \diamondsuit \diamondsuit \diamondsuit] - \diamondsuit \diamondsuit$
c. [�������] —����������������������������
4. [��] ��������
5. [����] �������������������������������
6. [��] ◊◊◊◊◊◊◊◊◊
7. [����������������] ���� [��] ����������
$8. \ \ [\diamondsuit \diamondsuit$
9. [��] ��������
$10. \ [\lozenge \lozenge \lozenge \lozenge \lozenge] \ \lozenge \lozenge$
11. [���] ��������
\diamondsuit \diamondsuit
\$\dagger*\dagg



- \$\dagger\$ \dagger\$ \dagger
- ♦♦♦♦♦ ♦♦♦♦ ID (ARID)♦



 $\Diamond \Diamond \Diamond$

[+] ********

\\daggerightarrow: \daggerightarrow \d

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- - \$\dagger\$_-\dagger\$\dagge
 - \$\dagger\$-\dagger\$\dagger
 - ◆◆—◆◆◆◆◆◆◆◆◆◆◆
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)
 (◆◆)</
- 3. [��] ���������

[+] ◊◊◊◊◊◊◊

- 2. [����� �����������] �������

 $\Diamond \Diamond \Diamond$

- - \$\dagger\$

 - \$\dagger\$

[+] ********

 $\Diamond \Diamond : \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. ♦♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
 - ♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦
- 3. [��] ���������

[+] ◊◊◊◊◊◊◊

 $\diamondsuit \diamondsuit \diamondsuit \diamondsuit \diamondsuit$

- 2. [���������������] �������

[+] ********

 $\Diamond \Diamond : \Diamond \Diamond$

 $\Diamond \Diamond \Diamond \Diamond \Diamond$

- 2. [��] ��������

♦ ♦

- \(\dagger \dagg

- ♦♦♦♦♦—♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦